CONTENTS

Dedication: Professor M. J. S. Dewar ix

Rotational barriers. Part 3. 2-Haloethanols
K. B. Wiberg and M. A. Murcko (New Haven, CT, U.S.A.) 1

A MNDO-study of solvent-free and solvated dimeric lithium ion pairs of acetaldoxime. Models for dimeric aggregates of lithiated oxime ethers
R. Glaser and A. Streitwieser, Jr. (Berkeley, CA, U.S.A.) 19

Ab initio study of rotation about the Si—Si double bond in disilene
D. A. Hrovat, H. Sun and W. T. Borden (Seattle, WA, U.S.A.) 51

Surface π bonding in the (2 × 1) reconstruction of Si(111)
A. Chattopadhyay, P. V. Madhavan, J. L. Whitten (Stony Brook, NY, U.S.A.), C. R. Fischer (Flushing, NY, U.S.A.) and I. P. Batra (San Jose, CA, U.S.A.) 63

Modeling of shape/size selective separations: AM1 rotational barriers for some substituted benzenes
C. H. Reynolds (Spring House, PA, U.S.A.) 79

Substituent effects of the geometries of prismanes
A. Greenberg, H.-T. E. Chen, P.-C. Lyu (Newark, NJ, U.S.A.) and J. F. Liebman (Baltimore, MD, U.S.A.) . . . 89

An AM1 study of the preferential solvation of ammonium ion in ammonia—water mixtures
S. Galera, J. M. Lluch, A. Oliva and J. Bertrán (Barcelona, Spain) 101

Calculated structures and electrostatic potentials of some monocyclic unsaturated dioxins
J. S. Murray and P. Politzer (New Orleans, LA, U.S.A.) 111

Bond dissociation energies for common organic compounds
D. Griller, J. M. Kanabus-Kaminska (Ottawa, Ontario, Canada) and A. Maccoll (London, Gt. Britain). 125

AM1, MNDO and MM2 studies of concatenated cyclobutanes: prismanes, ladderanes and asteranes
M. A. Miller and J. M. Schulman (Flushing, NY, U.S.A.). 133

Calculation of vibrational frequencies using molecular trajectories
K. Dieter and J. J. P. Stewart (Colarado Springs, CO, U.S.A.). 143

The $[HCS]^+$ and $[H_2CS]^{2+}$ potential energy surfaces: predictions of bridged equilibrium structures
M. W. Wong, R. H. Nobes and L. Radom (Canberra, A.C.T., Australia) 151

A MNDO study of the geometries and rotational barriers of conjugated cations and radical cations
J. N. Younathan and M. A. Fox (Austin, TX, U.S.A.) 163

An ab initio SCF-MO study of the aromaticity of some cyclic compounds
F. Bernardi, A. Bottoni and A. Venturini (Bologna, Italy). 173

Vibrational transition moment directions in medium-size molecules: experiment and theory
J. G. Radziszewski, C. A. Arrington, J. W. Downing, V. Balaji, G. S. Murthy and J. Michl (Austin, TX, U.S.A.) 191

Theoretical studies of silicon-containing molecules
D. S. Horowitz and W. A. Goddard III (Pasadena, CA, U.S.A.) 207

The reaction of iodomethylarenes with triphenyltin radical. Use of molecular orbital modelling to evaluate the rate determining step
G. J. Gleicher, C. J. Spurgeon, B. Mahiou, H. Soppe-Mbang, B. Bozlee and S. A. Minchin (Corvallis, OR, U.S.A.) 239

A study on the active region of molecules and chemical reactivity
H. Fujimoto, J. Endo, Y. Mizutani and K. Fukui (Kyoto, Japan). 249

Inverse sandwich compounds
A. Streitwieser, Jr. and K. A. Smith (Berkeley, CA, U.S.A.). 259

Theoretical study of the reaction $C(^3P) + SH(X^2\pi)$. Part 1. Semi-quantitative determination of some parts of the potential energy surfaces
T. Stoecklin, P. Halvick and J. C. Rayez (Talence, France) 267

(continued overleaf)

(contents continued)

Reinvestigation of some thermally "forbidden" pericyclic reactions and biradical processes in the semiempirical TCSCF approach. Part 1. Disrotatory opening of cyclobutene, isomerization of bicyclo[2,1,0]pent-2-ene and dimerization of ethylene to cyclobutane
J. M. Bofill, J. Gomez and S. Olivella (Barcelona, Spain) 285

Local softness and chemical reactivity in the molecules CO, SCN^- and H_2CO
C. Lee, W. Yang and R. G. Parr (Chapel Hill, NC, U.S.A.) 305

Correlation between hydride transfer and one-electron oxidation of dihydropyridines and heterocycles
N. Bodor (Gainesville, FL, U.S.A.) and J. J. Kaminski (Bloomfield, NJ, U.S.A.) 315

Dynamics of singlet biradicals. Application of ab initio variational transition state theory to the fragmentation of tetramethylene
C. Doubleday, Jr. (New York, NY, U.S.A.), M. Page (Washington, DC, U.S.A.) and J. W. McIver, Jr. (Buffalo, NY, U.S.A.) 331

New formulas for integrals in semiempirical molecular orbital methods. Part 1. General theory and results for two center overlap integrals and their first and second derivatives with respect to Cartesian nuclear displacements
M. McCourt and J. W. McIver, Jr. (Buffalo, NY, U.S.A.) 343

New formulas for integrals in semiempirical molecular orbital methods. Part 2. Coulomb integrals and their first and second Cartesian derivatives in the NDDO theory
J. Denton, M. McCourt and J. W. McIver, Jr. (Buffalo, NY, U.S.A.) 355

Analytical energy third derivatives for two-configuration self-consistent-field wavefunctions
M. Duran, Y. Yamaguchi, Y. Osamura and H. F. Schaefer III (Berkeley, CA, U.S.A.) 389

Fast semiempirical geometry optimizations
W. Thiel (Wuppertal, F.R.G.) 415

Maximally diagonal force constants in dependent angle-bending coordinates. Part I. Mathematical formulation
T. A. Halgren (Rahway, NJ, U.S.A.) 431

Chemical reactivity predictions from molecular structures and properties. Perturbation approaches to electronic and structural rearrangements
J. R. Murdoch (Wilmington, DE, U.S.A.) 447

Author Index 477

Subject Index 479